

Map 1 IN 1

193

File No. 15-23

Serial Nos 15 to 19

Director

10/12/22-2-1
11/15-33-5-1

Director References

10/15-3756 2, 3, 6 & 7

GENERAL AND REVENUE SECRETARIAT.

Serial Nos

Part B for

SUBJECT

Amount due by the Bangalore City-
Municipality - in connection with laying
of a duplicate main from the combined
Jewell Fillers to the low
level Reservoir

of 19) To the Municipal Council B.C.M.
WD 11-61-47/66 9 5-43

Amount due by the Bangalore City-
Municipality - in connection with laying
of a duplicate main from the combined
Jewell Fillers to the low
level Reservoir

City Municipal Office,
Bangalore, Dated 25th Oct 1934

27 1807
J

all one
M. Seshadri, Esq., M.A.,
Municipal Commissioner,
Bangalore City

RECEIVED
27 OCT 1934

Rajasevasaktha R Ranga Rao, Esq., B.A., B.L.,
Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

J Sir,

With reference to your letter No L. 7428 ML 169-33-3^x
dated 16th April 1934 that the recovery of Rs 55,480 being the cost
of laying a duplicate main from the combined jewel filters to the
low level reservoir cannot be waived & I have the honor to for-
ward herewith, for favour of re-consideration, a copy of the reso-
lution of the Municipal Council dated 6th October 1934 resolving
that the financial condition of the Municipality does not permit
them to meet any capital expenditure

In this connection, I may be permitted to state that
all the surplus funds of the Municipality are exhausted and there
is no source^x from which this cost could be met. The normal re-
venues of the municipality are barely sufficient to meet even the
minimum requirements of the City owing to the large amount that
has to be paid for the water supply

I have the honor to be,
Sir,
Your most obedient servant,

M. Seshadri
Municipal Commissioner

SS.2

Forwarded with compliments.

M. Seshadri
Hon. President.

Submitted for order
1/34 7/11/34

1237

Serial
No

12

5-

Reference is invited to the notes in the collection for the
paras 45 to 48 of the notes in the collection for the
the need want a reconsideration of the Govt order
communicated in letter no. 27428 of 16-4-34. that
the recovery of the amount in question viz Rs 25,000
cannot be waived.

The reason given is that the surplus funds
of the Reg are exhausted and that the normal revenue is
hardly sufficient to meet minimum requirements of the Reg.
owing to the heavy amount that has to be paid to Govt.
on account of water supply.

4 - The loan of Rs 9 lakhs sanctioned to the Reg.
includes a sum of Rs 2 1/2 lakhs for the improvement of
water distribution in the Reg. As the laying of a
duplicate main to the Lower Level Reservoir is one
such work of improvement, it is not clear why the
Reg should not meet the cost of the pipes referred to
from the loan funds. If asked, an enquiry will be
made as to why this should not be done.

Chief

9.10.34

Chief Secy)

Am
9/11

2nd membr

R2

10/11/34

Am
10/11

6 Yei

SP2


15/11

R2
15/11/34

7

Please put up order

Am
16/11



Draft submitted for approval.

From ~~14/11~~ ^{19/11} 34 --- --- g- Issue for 24/11

The Municipal Commissioner, Bangalore city

No. 3684. dated. 24-11-34

Enquire why the expenditures should not be met from the sum of Rs 2 1/2 lakhs intended for the improvement of water distribution in the city out of the loan of Rs 9 lakhs.

Letter No 6832 dated 11-3-1935 from the Chief Engineer requesting that the amount due from the Bangalore city Municipality towards the laying of a duplicate main from the Combined Javel Filter to the Low Level Reservoir may be caused to be adjusted immediately

10 It is seen from the letter of the Executive Engineer, Water Supply Division that the Municipality has not paid anything towards the cost of the estimate of Rs 54,040 including the cost of the pipes Rs 25,000 the latter is still under correspondence

Besides it is found that another estimate for Rs 1,387 ^{in account} for audit and direction charges has not been returned & countersigned by the Municipal Commissioner.

11 A copy of the Executive Engineer's letter has already been sent to the Municipal Commissioner

~~correspondence~~

211
NOTED
21/11/34

Sur D
4/12
11/2

180754061. ✓
L

Serial
No

12 Submitted for orders with a draft

Per-*for* 13 *Wear*
13/3 *Am*
14p

7 The Municipal Commissioner, Bangalore city
No 2 6404 dated 15-3-35

Enquires why there has been delay in the
adjustment of the bills etc

No 2 6405 dated 15-3-35

Copy to the Chief Engineer

8 Letter No A-35/34-35 dated 26-3-1935 from
the Municipal Commissioner, Bangalore city
forwarding the resolution of the Municipal
Council that the charges cannot be paid as
the Municipality have to find funds for the
liquidation of debts already incurred and
that the loan of Rs 2,50,000 cannot be used
for other purposes and that the expenditure
cannot be borne by the Municipality.

14 The Municipal Commissioner reports that
a sum of Rs 30,000 has already been ~~used~~
out of the loan ~~utilised~~
utilised for ~~the~~ laying submains and
installing taps in various parts of the city
and that the claims may be waived as
a special case

15 The argument of the Municipal Council
is not acceptable. They seem to have
forgotten the idea that the laying of the
a duplicate main to the Low Level

Reservoir was undertaken only with a view



Sms A
15/3

to Cause of the water supply dept against the 15-
duplicate memo to the Govt level Reserve 4314

File No

169

40610

4314

of 1933-34

General and Revenue
Secretariat

to improve the water supply distribution in the city
and it is but right - that they should be
called to meet the amount from the loan
of Rs 2,50,000. As regards the question of
finding funds for the liquidation of
the debts already incurred it has to
be stated that provision for the payment
of the loan instalments has to be made
in each year's budget.

16 Submitted for orders.

Rmr
29/3

17 Please put up the file relating to
the grant of the loan referred to above
the M.C. has ^{9th} recently proposed the utilisation of
a portion of this loan amount for the purchase
of meters - Rs 10,000 - what is the amount
involved?

Am
30/3

The file referred to has been submitted
separately. The Municipal Council have
proposed to purchase 2,000 meters at a
cost of Rs 67,000 and to meet the amount
from the loan amount of Rs 2,50,000

Rmr for
30/3

the file referred to is required
for reference & may be obtained from the

Am
30/3

file is put up (flag 2)

Rmr for
1/4

1/ The Municipal Council's request
for waiving the recovery of the copy paper
required for laying a duplicate memo from

Serial
No.

The Combined Sewer Files to the Low Level Reservoir
is Rs 25,000 (which amount was based as
a concern against Rs 30,000 which is the ^{estimated} cost of the pipes)
was negatived in this Office letter no L 748 of 16.4.34

2. The Municipal Council want a reconsideration
of the ~~above order~~ and request that the
mayor waived as a special case. It is stated that
there are no funds available to meet the charge
and that it cannot ^{also} be met from the loan of
Rs 2,50,000 as ^{the latter} has been sanctioned for a specific
purpose & cannot be diverted for other works. It
is also urged that G.O. have already made full use
of the pipes in question at Belamangal and of this
and that the recovery of their cost may therefore be waived.

2.3 The loan of Rs 2,50,000 has been
sanctioned by G.O. for ~~the~~ improving the Distribution
System. The laying of the duplicate main to the
Low Level Reservoir ^{seems to be} one of the measures calculated
to improve distribution of water, but the M.C.
seem to think otherwise, though they have proposed
the utilisation of Rs 67,000 out of the loan funds for
the purchase of water meters. When the latter expense
is a provision charge on the loan funds it cannot be
said that the former is not.

4. As regards the contention that the pipes ^{are old &}
have been used alike, it is submitted that this point was
taken into consideration when fixing their cost
at Rs 25,000.

Blair of the water
for laying in duplicate

ml File No

169

4314
of 193

In the circumstances the M.C.B. Committee
informed that Govt regret that they cannot
reconsider the orders already passed and that the
amount due should be adjusted without further delay

For order

(Chief Secy)

Asst
2/4

2 20th Member

Re
6/4/35
for 6/4

27 Jan
9/4

Re
9 4/35

Please publish Draft
for 9/4

Draft submitted for approval

Rev
10/4

30 Issue
for 11/4

The M.C.B. Committee, Bangalore City

No. 27291 dated 17-4-35

States that Govt regret that they cannot
reconsider the orders already passed & that the
amount due should be adjusted without further
delay & requests him to submit a report of
action taken

No. 27292-3 dated 17-4-35

Copies to the Chief Engineer & Comptroller

CHIEF SECRETARY
3 APR 1935

OFFICE OF THE
SECOND MEMBER OF COUNCIL
6 APR 1935
No. 6283

RECEIVED
11 APR 1935
GENL & RELY SECT

9

Sur A

25/4

File No

of 193

G
General Investigative
Secretary

No A₁-35/34 35

City Municipal Office,
Bangalore, dated 12th Oct 1935

1689
L

From

M SESHADRI, ESQ, M A,
Municipal Commissioner,
Bangalore City

To.

K. V. Anantaraman, Esq., B.A.,
Chief Secretary to the Government of
His Highness the Maharaja of Mysore
Bangalore

Sir,

With reference to your letter No. L. 733 Ml 169-33-11 dated 27th July 1935 regarding the adjustment of the cost of pipes in connection with the laying a duplicate main from the Combined Jewell Filters to the Low Level Reservoir, I have the honor to state that the matter is under the consideration of the Managing Committee.

*Submitted for perusal
in the connected file*

I have the honor to be,
Sir,
Your most obedient servant,

22.10.35-11/11/35 36) Has not yet been made in the Budget estimates of the Reg for the current year for payments of the charges in question? I think

Forwarded with compliments.

M. Seshadri
Municipal Commissioner
16/10/35
Govt included no provision while reviewing the budget. Please verify

Hon. President.

As per the Budget estimates is put up and reference is made to the review. Rs. 5,000 have been provided for the purpose

30) For perusal

In this office letter of 27.7.35, the Council was requested to take immediate action in the matter & make a report to Govt. The matter has been fully considered before making Govt. passed

She has stated that the Managing Committee is considering it

for action if the further communication of the Govt. can be awaited
Chief Secy)
11/11/35
21/11/35
2/12/35

NOV. 1935

Serial
No

40) Draft submitted for approval

Rmr
4/10 IV 11/1141) Issue
17/11

12

The Municipal Commr, Bangalore city

No L 3468 dated 12-11-35...

Requests him to arrange for the prompt adjustment of the amount for which provision has been made in the current year's budget of the Municipality

Letter No 4078 dated 11-11-35 from the Chief Engineer requesting that the Me commr, Bangalore city may be asked to adjust the amount early and to return the ~~amount~~ estimate for Rs 1387 towards audit and direction charges duly countersigned.

42) Draft reply to the Chief Engineer submitted

Rmr
15/11 15/11

43) I think we may send the Chief Engr's letter to the Mutl Comr in continuation, requesting him to expedite the matter

Please put up a fresh draft

16/11

44) Draft to the Municipal Commissioner submitted

Rmr
18/11 18/1145) Issue
20/11

14

The Municipal Commr, Bangalore city

No L 3876 dated 26-11-35

For copy of letter from the Chief Engineer I request him to expedite the matter

WD 03.04-GPB-30,000-13-7 85

No L 3877 dated 26-11-35

Copy to Chief Engineer

Jus A
28/11

Amount due by the Rs.

Laying a duplicate main from the
Low Level Reservoir.

ML File No 169

3841
- 2

of 1933.

Letter No. A-35/34-35 dated 17-2-36 from the Municipal Commissioner, Bangalore city stating that the Municipal Council have resolved that as the pipes used for the main are old ones, a sum of Rs 10,000 might be paid towards their cost and that a cheque for the said amount has been sent to the Ex Engineer, Water Supply Division.

4b) The Municipal Commissioner requests that the sum of Rs 10,000 may be accepted in final settlement of the cost of the pipes in question -

The following amounts are due from the Bangalore city Municipality in connection with the laying of a duplicate main from the Combined Jewel Filters to the Low Level Reservoir -

- 1) Rs 25,000 towards the cost of the pipes
 - 2) Rs 29,040 towards the cost of labour
 - 3) Rs 1,387 -- audit and appropriation charges.
- 54,427

The present reference deals with only the cost of pipes, and the Municipality is willing to pay only Rs 10,000 against the cost of Rs 25,000. The action taken in regard to items (2) & (3) has not been reported.

The Chief Engineer may perhaps be consulted unofficially.

Rm - 147
25/2

(for details see
flag G)

The liability in
regd to this has been
accepted by the Rs
vide para 23 of the
order in Regd No 169
1933

The Chief Eng has
already been consulted
& Rs 10,000 have been paid
as the labour amount that
can be charged for the
pipes, vide para 35 of the
order in Regd No 169 33 & also
para 2 of the order dated 17/2/36
of 17 4 35 vide the order
17/2/36

3841
J

Serial
No

47) No further consultation with the Chief
Eng seems necessary, as the amount of Rs 25,000 fixed
for the pipes is itself a concession, vide reply quoted in
the margin of last page. Rs 10,000 cannot therefore be accepted in
settlement
48) Draft reply to the Tel. Cons., stating the
above & asking for early adjustment of the balance
due on account of the pipes & also the other sums due

for
28/2

49) Draft submitted for approval.

Rm 9/4
28/2

50 Cheffey

Am
29/2

51 2nd Cheffey

Am
29/2
Am
29/2

52 rule
8/3/36

Am
53 28th
3/3

The Municipal Commr, Bangalore city

No 2 6798- dated 6-3-36

Requests him to pay up the balance of Rs 15,000
towards the cost of pipes and the other amounts
referred to therein.

No 2 6799- 6800 dated 6-3-36

Copy to Chief Engineer & Comptroller

WD 03594 GPB-30,000-18 35

SECRETARY

FEB. 1936

6657

SECTION
MAR 1936
SECRET

16

Sub A

NOTE-Contn Sheet

9/3

Amount due by the Bangalore City
laying a duplicate Main to the

Me File No 169

3841/5330

of 1935

General
Secy

Letter No 10215 dated 18-5-36 from the
Chief Engineer stating that a balance of
Rs 40,091 is due from the Bangalore City
Municipality in connection with laying the
duplicate main from the Combined Sewer
Filters to the Low Level Reservoir & requesting
that the same may be ordered to be adjusted
without further delay.

54 Draft to the Municipal Commissioner
submitted for consideration

20/5
Pm-9M/

checked)

20/5

2nd member)

55 21/5

56 27/5/36

57 27/5/36

CHIEF SECRETARY
21 MAY 1936

17
TYPING SECTION
22 MAY 1936
DEL LUN

The Municipal Commr, Bangalore city

No 2 9047 dated 27-5-36

Fds copy of Chief Engr's letter and requests
that the payment may be arranged for
immediately and the cause of delay reported by you

No 2 9048-9 dated 27-5-36

copies to Chief Engineer & Comptroller

Sus A
28/5/36
M

Amount due by the Bangalore city Municipality for laying a duplicate main to the Low Level Reservoir -

General & Revenue
Secretariat

File No

of 193

[App F III-2

5330 40

Serial
No

Letter No 11583 dated 30-6-1936 from the Chief Engineer stating that the Municipal Commissioner has not arranged to pay the sum of Rs 40,191 due from the Municipality and suggesting for consideration whether the dues may not be deducted from the loan sanctioned by Govt to the Municipality. The amount of loan still kept undrawn is only Rs 50,000. This amount has been withheld pending the adjustment of the arrears of water charges due by the Municipality and the connected file has been referred unofficially to the Chief Engineer. This question has been pending for over 2 years and the adjustment of the amount is being postponed, in spite of repeated instructions in the matter. No heed seems to have been paid by the Commissioner to the several communications issued from this office from time to time.

Submitted for orders. *The proposal of the C.E. should be accepted in the light of the fact that at A*
Rmr for 2/7 A copy of the C.E.'s letter may perhaps be sent D.O. to the

Int Commr in continuation of previous reply & he may be asked to give a reply before the 15th Inst. as to how the matter stands at present. 3/7/36

Ch. Secy)

61 Am
47

4/7/36

Amount due by the Bangalore City Municipality
duplicate main from the Combined General Fund to
Low Level Reserve-
ML File No 169 of 1935

General and
Secretariat

62
Draft to the Municipal Comm submitted for
approval
Rmr for
4/7
63 Lc today
4/7/36

The Municipal Comm, Bangalore city

Do No 2133 dated 4-7-36

Requested him to send up a reply
before the 15th instant as to how the matter
stands at present

64
Reply from the Municipal Commissioners has
not been received-

Submitted for orders as to the further action to
be taken
Rmr
4/7/36

88
20/7/36


Ch: Secy)

66 after a good deal of hissing haggling, the
Municipal Council have paid Rs 1000/- towards the
cost of the scheme for laying the duplicate main
They have yet to pay Rs 4000/- In view of the
many improvements the Municipal Council have undertaken
to carry out, it would not be desirable to withhold
payment of the loan amount still due to them
and set it off against dues by them I would
for consideration
suggest the payment of the balance of the loan
amount and call upon the Council to repay
their debts in two years from now.

2nd number)



✓
Sms B Lk 15⁷/₃₆
Rmr
6/7



67 spoken to Ch. Secy.
Further info will be
available

MLC
21.7.36

21/7/36

A.S.

please bring up

MLC

22/7/36

22/7/36

Amount due by the Bangalore city Municipality in connection with
 laying a duplicate main from the Combined Jewell Filler
 to the Low Level Reservoir-
 General & Revenue Secretariat File No 40 of 193 [App F III-2]

Serial
No

70) Drafts to the Comptroller and the Municipal
 Commissioners, Bangalore city are submitted
 as directed-

Per Mr. J. A.
 22/7

71) Two drafts returned for
 perusal before issue.

J. A.
 22/7/36

Ch: Secy)

72) attd
 Mr. J. A.
 22/7

73) J. A.
 22/7/36

The Municipal Commr, Bangalore city

No 2 727 dated 23-7-36

Enquires what arrangements have been
 made for the adjustment of the balance etc and
 requests him to furnish a reply by return
 of post-

The Comptroller to Govt

No 2 728 dated 23-7-36

Requests him to forward a statement
 showing the dues payable by the Bangalore
 city Municipality to Govt Departments up to
 end of June 36

To letter No A-35/34-35 dated 22-7-36 from
 the Municipal Commissioners, Bangalore city
 stating that he is issuing a cheque for Rs 25,000
 in favour of the Executive Engineer, water Supply
 Division in addition to Rs 10,000 already
 paid.

✓
 S. A. (Kundak)
 23/7

Amount due by the Bangalore City Municipal
a duplicate main from the Jewell Filters to try and

Me File No 169

40 $\sqrt{377}$

of 1933

General and
Secretariat

- 14) The Commissioner states that a detailed
official letter in the matter follows & to
receipt may be awaited.

Rmr for
24/7

88
24/7/36

~~Smt A. (Smt)~~
24/7

Letter No. A1-35/34 dated 27-7-36 from the
Municipal Commissioner, Bangalore City
forwarding the resolution of the Municipal
Council that Govt be requested to accept only
Rs 35,000 in full settlement of the claim
under the circumstances explained.

75 In the Commissioner's letter, reference has
been made to G.O. No. 2 ⁵⁴⁷⁻⁵⁴ ~~226-94~~ / Me 262-32-6
dated 18-7-1933 sanctioning the scheme of laying
a duplicate main from the Mallewarwar
storage tanks to the Low Level Reservoirs with
the observation that the scheme was not
likely to cost more than Rs 35,000. It is in
view of this, that Govt is requested to
accept Rs 35,000 in full settlement of the
account. According to the Chief Engineer's
figures, the balance still due will be Rs 15,091.

76 Submitted for orders. Another reason states
Rmr 1/8
is not good.

77 The reason urged to the Mt Council for
request Govt to accept Rs 35,000 in full settlement
of a/c is that Govt in their order of 18/7/33 (7672)

vide Hdy B.

Amount due by the Bangalore City Municipality in connection with
 laying a duplicate main to the Low Level Reservoir
 General & Revenue Secretariat File No 169 of 1935 500/2 [App F III-2]

Serial
No

have stated that the scheme is not likely to cost
 more than Rs 35000/-. Surely this cannot be
 considered sufficient ground to excuse payment
 of Rs 15091/-. In the case of estimations
 it is a well known fact that when works are
 completed it is found that the original
 estimations are exceeded. This is just the
 reason why final estimations and final bills
~~are accepted~~ must. The Dewan's Memo
 of 3/7/33 (Part T) explains in detail
 what the circumstances were that influenced the
 Dewan to agree to this scheme. It is
 for orders of the request of the Govt Council
 may be granted


5/8/36

CHIEF SECRETARY
5 AUG 1936

Ch. Secy) Hence than once the Govt. has declined
 to consider the request of the m. c. to
 waive the cost of the paper supplied in
 connection with the duplicate main to the
 Low Level Reservoir. The paper was supplied
 to the m. c. at a concession rate. It is
 not reasonable to claim a further
 concession merely for the reason that the
 paper are the property of Govt. and are
 second hand ones. The m. c. have paid
 Rs 35000/- within the last couple of months.
 It is a matter for consideration whether the
 m. c. may be permitted to pay the balance
 due in two annual instalments.

2nd member)

5/8/36
5/8/36



Amount due by the Bangalore City Municipality
duplicate made to the Law Dept

Me File No 169 . √607
of 1933.

General and R
Secretariat

1) This may be considered on receipt
of the Comptroller's statement of the dues
of the Municipality to Govt

MS
6/8/36
MS
7/8/36
MS
7/8/36

Letter No. 99/WADI dated 1-8-36 from the
Comptroller to Govt furnishing information
as to the dues payable by the Bangalore
City Municipality to the various Departments
of Govt up to end of June 36-

Submitted with reference to para 79 supra

MS 8/8/36
Ch. Secy) MS 10/8/36
MS 10/8/36

It is ascertained from the Comptroller's office that
item No 4 in Comptroller's letter A1 8-36 — Rs 89282/-
representing ~~amount of Rs 89282/-~~ the amount due
on the works executed by the E & Water Dept &
to inclusive of Rs 17,658-7-4 due in connection
with the laying of a duplicate main for the Central
Jewell Filtration to the Low Level Reservoir. The entry
on this work to end of June 36 is said to be Rs 27,658-7-4 out of which
Rs 10,000/- was paid to the Govt before the close of the year — Rs 25,000/- paid to Govt is not taken
The cost of proper amount to Rs 22,606/- as per
C Es letter A1 8.5.36 (P. 10) being not taken into

Chief Secy
To be submitted

CHIEF SECRETARY
10th 1936
RECEIVED
CLERK
10/8/36
11/8/36
12/8/36
13/8/36
14/8/36
15/8/36
16/8/36
17/8/36
18/8/36
19/8/36
20/8/36
21/8/36
22/8/36
23/8/36
24/8/36
25/8/36
26/8/36
27/8/36
28/8/36
29/8/36
30/8/36

Amount due by the Bangalore City Municipality in connection
 laying a duplicate main from the Combined Jewell Filter

General and Revenue
 Secretariat

File No

to the Low Level Reservoir
 607/36

of 193

[App F III-2


Serial
 No

Account as the pipes are used and removed
 from Bellamangala & "Z" pipes (Flag N) whose
 value will have to be adjusted and not pipes
 purchased for the purpose

13/8/36

Ch. Sany) 2nd member)

13/8/36



83 The request made by the
 Municipal Council has already been
 negatived and there is no need to reopen
 the question

84 If the Municipal Council wants
 time to pay the arrears which have
 accumulated under different heads, this
 may be dealt with separately when a
 formal request is made to Govt.

17/8/36

85 Draft reply to the ML Comm as per orders at
 para 83 supra, submitted for approval. It is
 for orders if a separate communication has to be
 made regarding para 84.



WD 03594-GPB-30,000-18735

18 AUG 1936

Ch. Sany)

87 added

15/8/36

Payment by the Bangalore city Municipality
for duplicate man from the Combined General
Fillers to the Low Level Reservoir-

General and
Secretariat

File No

167 607/2342 of 1933

The Municipal Commr, Bangalore city
No 21410 dated 20-8-36

State that Govt request that they do not
need any need to reopen the question and that
arrangements should be made for the payment
of the balance early of the fact reported by Govt.
Letter No. A-35/34-35 dated 17-11-36 from
the Municipal Commissioner, Bangalore city
stating that arrangements will be made
to clear up the dues by the end of December 36.
Submitted for perusal the Municipal Commr
reports that the ~~amount~~ dues will be paid by the
end of December next.

18

21/8/36

Rmr
27/11

Ch: Seery) 2nd member)

90 For perusal.
27/11/36

11/5
28/11/36

91 Put up in Jan 37 after
ascertain whether the
amount has been paid as promised

11/5
1/12/36

92 Draft letter to the M2 Commr is submitted for
approval.

Rmr
7/1

93 Dm 4782
5/1/37

The Municipal Commr, Bangalore city
No 2 4782 dated 8-1-37
Requests him to state whether the
dues have been adjusted as promised.

28 NOV 1936
GOVT OF MYSORE

Sub for one month
Rmr
4/12

8 JAN 1937
GENL

Amount due by the Bangalore City Municipality for
laying a duplicate Main to the Low Level Reservoir.

General and Revenue
tribut

File No 169

of 1933

[App F III-2

Serial
No

Letter No A1-35/34-35 dated 25-3-37 from
Municipal Commissioner, Bangalore city
stating that the Municipal Council have
resolved to visit on deputation on foot
and to represent the financial condition of
the Municipality.

94 The resolution of the Municipal Council
is dated 10-10-36 and the Municipal
Commissioner has taken 5 1/2 months
to forwarding the same to Govt.

95 In his letter to Govt dated 17-11-36, the
Municipal Commissioner stated that
arrangements would be made to clear
up the dues by the end of December 1936
without mentioning anything about the
resolution of the Municipal Council now
sent.

96 The Municipal Commissioner has not
actually paid the dues as promised by him,
but sends up a resolution dated 10-10-36
in spite of the fact that the Municipal
Council have definitely been intimated
that the amount should be paid without
delay.

97 Submitted for orders as to the further

2 X

Agreement due by the Po ~~congress~~
the duplicate remain to the Low ~~land~~

Mc File No 169

236254638
J

of 1933

General
Sec

Serial
No

return to be taken in the matter -

Rmr ~~50/6/37~~ ggr 98 The above office note is for
personal - The Int Comm^{tee} may
perhaps be requested to state whether any deputations
the members of the Int Council waited
on ~~Spork~~ and if so, with what result.

88
11/4/37

We should be aware
of this, if really for
a deputation to
wait on the
order

Ch. Secy) 99 Point out the moderate delay in the
transmission of the resolution of the Int Council
and say that as the Int Council have failed
to act according to their own resolution.
The Int Council should in these circumstances
have given effect to their orders. The draft
may be sent for the perusal of the 2nd member

MK
1/4
88
21/4/37

100

Draft submitted for consideration

Rmr ~~2/4~~ ggr

Submitted for perusal
before issue 88
2/4/37

(11 member)

MK
3/4/37
MK
3/4
88
3/4/37


Amount due by the Bangalore city Municipality for laying
a duplicate main from the Combined Javel Filter to
the Long Lane Reservoir.

General and Revenue
Secretariat

File No 169 ⁴⁶³⁰ of 1933.

[App F III-2

Serial
No



✓
ms A
6/4/37

19

To The Municipal Commr, Bangalore city
No 27166 dated 5-4-37

Requests that arrangements may be made
to pay the balance immediately and the fact
of payment intimated.

No 27167-8 dated 5-4-37

copies to the Chief Engineer & Comptroller -

Letter No A1-35/34-35 dated 18-6-37
from the Municipal Commissioner Bangalore city
stating that the dues have been fully
discharged.

Submitted for perusal

2/7/37 for
Chief Secy
2nd member

1/m
2/7

1/m
27-37/m

new
7/7/37
ms
77-37 W



B
7/7/37

File No

**Serial
No.**

Appendix FG-1] 54

SUBJECT

Section Me

File No 169-33

Serial No. 5

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue

24/11

Signed by

Mr A S. Rose

List of enclosures

Copied by

B. S. S. S.
22/11/34

Examined by

No. L 3684

To

The Municipal Commissioner,
Bangalore city
(through the President)

Sir,

With reference to your letter.

A 35/34-35 dated 27-10-1934

forwarding, for reconsideration of the
order ^{of the} resolution of the Municipal
Council that the financial position
of the Municipality does not permit
them to meet the cost of papers
required for laying a duplicate
main from the combined gravel
falls to the Low Level Reservoir,
I am directed to enquire why the
expenditure ^{should} not be met from

Exha
GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No. L 3684
ml 169-33-5

Dated, Bangalore, 22nd Novr. 1934

24

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore

To

The Municipal Commissioner, Bangalore City,
Through the President, Bangalore City Municipal Council.

Sir,

With reference to your letter No.A.1.35/34-35 dated 27th October 1934 forwarding, for reconsideration of the orders of Government, the resolution of the Municipal Council that the financial position of the Municipality does not permit them to meet the cost of pipes, required for laying a duplicate main from the combined Jewell Filter, to the Low Level Reservoir, I am directed to enquire why the expenditure should not be met from the sum of Rs.2½ lakhs intended for the improvement of water distribution in the City out of the loan of Rs.9 lakhs sanctioned to the Municipal Council.

I have the honor to be,

Sir,

Your most obedient servant,


For Chief Secretary to Government.
Rmr

B.k.N.2

9:
No 6832
Encls 1

Me 169-28-6

MYSORE PUBLIC WORKS DEPARTMENT

CENTRAL OFFICE,

Bangalore,

11/3/

1935

FROM

DIWAN BAHADUR

N N AYYANGAR, B A, L C E, M I E (Ind), I S E,

Chief Engineer of Mysore,
Bangalore

To

The Chief Secretary to Government,
Bangalore.

SPK

Laying a duplicate main from the Combined
Jewell Filters to the Low Level Reservoir.

Sir,

I have the honour to forward herewith a copy of memo No.575 dated 27th February 1935 received from the Executive Engineer, Water Supply Division, regarding the above subject and to request that, under the circumstances therein stated necessary instructions may kindly be issued to the Municipal Commissioner to arrange for the immediate adjustment of the amount outstanding against "Objection Book Advances" in the Water Supply Division

I have the honour to be

Sir,

Your most obedient servant,

Chief Engineer of Mysore.

TSRN

Letter No.1554 dated 27th February 1935 from the
Executive Engineer, Water Supply Division, to the Municipal
Commissioner, City Municipality, Bangalore

Laying a duplicate main from Combined Jewell Filters
to Low Level Reservoir

In inviting kind reference to this office letter No.2212 dated 24th April 1934, and subsequent reminders Nos 195 and 629 dated 30th July 1934 and 29th September 1934 respectively, I have the honour to state that the Chief Secretary to Government has in his letter No 3878/M1 dated 5th December 1933 requested you to pay a sum of Rs 25,000 towards the cost of the pipes along with the cost of labour portion countersigned by you amounting to Rs 29,040 i.e., 54,040 in all. In addition to this, another estimate amounting to ~~Rsx2~~ Rs 1,387 was sent to you to cover up audit and direction charges vide this office No 1416 dated 6th January 1934 and you were requested in this office reminder No.1940 dated 15th March 1934 to kindly return this estimate with your countersignature

In this office letter No 2212 dated 24th April 1934 you were requested to pay the amount so far incurred. Even this has not been done, consequently there has been great pressure from the Comptroller that the amount is large as it is has been kept unrecovered in the objection book advances

Under the above circumstances, I request you to kindly pay the amount of the estimate viz., Rs 55,482 sanctioned by Government at a very early date and return with countersignature the estimate of Rs.1,387/- sent to you with this office No 1416 dated 6th January 1934

As the accounts have to be closed, immediate action is requested

Memo No.575

Dated, Bangalore, 27th Feb 1935

Has the honour to submit copy of the above to the Chief Engineer of Mysore, Bangalore, for kind information. Though the work is finished, the Municipality has not paid a pie towards this work. Some pressure from the Government side may kindly be brought to pay up the amount

Sd) H.F Marker

Executive Engineer
Water Supply Division

"Copy"

For Chief Engineer of Mysore

TSRN

Appendix FG—1]

SUBJECT

Section ME

File No. 169-3B

Serial No. 7

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue

15-3-35

Signed by

Mr A S. Rao.

List of enclosures

Copied by

21/dec/35
15/3/35

Examined by

No L 6404

To

The Municipal Commissioner,
Bangalore city
(through the President)

Sir,

In continuation of this office letter

No L. 3684/ME 169-3455 dated
24-11-34 in the matter of ^{water} meeting
the cost of pipes required for
laying a duplicate main from
the combined Javel Filters to the
Low Level Reservoir, I am directed
to forward ~~the same~~ ^{the same} for your consideration.

For your reference to letter No

1554 dated 27-2-1935 addressed to

you by the Executive Engineer, Water

Supply Division and to enquire

how the matter stands & why there has been

WD 01956-GPB-22,500-12-6-84

delay in the adjustment of the dues on the return
of the estimate for 1937 and your counter signature
A yearly report is required

Copied by Mr. Rao
referred to letter
of 11/3/35

Am. Rao
21/3/35

why not even a portion of the ~~cost~~ of
the estimate ~~has~~ ~~not~~ ~~been~~ ~~adjusted~~
till now and to request that the ^{whole amount except the} cost of
~~the estimate~~ ~~may~~ pipes may be adjusted
immediately and a report submitted to
Govt together with a reply to this office
letter No-2 3684 dated 24-11-34.

One matter may kindly be treated
as immediate

I have etc

Chief Secy Govt
Rmr

Copy to the Chief Engineer with refce No 2 6405 of 15-3-35
to his letter No 6832 dated 11-3-1935

By order

Chief Secy Govt
Rmr

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L 6404
ML 169-33-7

Dated, Bangalore, 15th March 1935

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore

To

The Municipal Commissioner, Bangalore City,
(through the President, Bangalore City Municipal Council)

Sir,

In continuation of this office letter No.L.7694/ML.169-34-5 dated 24th November 1934 in the matter of the municipality meeting the cost of pipes required for laying a duplicate main from the combined Jewel Filters to the Low Level Reservoir, I am directed to invite reference to letter No.1554 dated 27th February 1935 addressed to you by the Executive Engineer, Water Supply Division and to enquire how the matter stands and why there has been delay in the adjustment of the dues and in the return of the estimate for Rs.1387/- with your countersignature.

A very early reply is requested.

I have the honor to be,

Sir,

Your most obedient servant,

Sd. R.Ranga Rao.

Chief Secretary to Government.

Memo No. L 6405

Dated Bangalore, the 15th March 1935.

Copy of the above is forwarded with compliments to the Chief Engineer in Mysore with reference to his letter No.6832 dated 11th March 1935.

By order,



B.A.M.3

for Chief Secretary to Government.
Rmr

ML 169-33-8

4314

City Municipal Office,

Bangalore, dated 21st Mar 1935
26

No A1-35/34-35
Encl one

From

M SESHADRI, ESQ, M A,
Municipal Commissioner,
Bangalore City

121

To

Rajasevasaktha
R. Ranga Rao, Esq., B.A., B.L.,
Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

Sir,

With reference to correspondence ending with your letter No. L. 3684 M1 169-33-5 dated 24th November 1934 enquiring why the cost of pipes required for laying a duplicate main from the combined jewel filters to the low level reservoir should not be met from the loan of Rs 2,50,000 sanctioned for the improvement of water supply &c I have the honor to forward herewith a copy of the resolution of the Council dated 9th March 1935 that the charges cannot be paid as we have to find funds for the liquidation of debts already incurred. The loan has been sanctioned for a special purpose and cannot be diverted for other works especially as a sum of Rs 30,000 has already been utilised for the laying of sub mains and installation of taps in the various parts of the City to relieve acute distress of water.

Therefore, I request the favour of your obtaining sanction of Government to waive this claim as a special case taking into consideration the fact that Government have already made full use of these pipes at Bethmangal and 'Y' Tank.

I have the honor to be,
Sir,
Your most obedient servant,

Forwarded with
compliments.

Hon. President.

M Seshadri
Municipal Commissioner.

SS

Minutes of an ordinary general meeting of the City Municipal Council, Bangalore held on Saturday the 9th March 1935 at 12 noon, in the Council Chamber of the City Municipal office, Bangalore.

Present:- Mr. B. K. Garudachar, Esq.,
Hon. President.

Councillors:-

- | | | | |
|----------|------------------------------|----------|----------------------------|
| Members. | 1. V. Venkataswami. | Members. | 13. C. Nayanaiah Esq. |
| | 2. M. H. Ramaswami. | | 14. B. K. Garudachar. |
| | 3. H. T. Prabhakar Chetty. | | 15. M. F. Chakrabarti Esq. |
| | 4. K. S. Srinivasiah. | | 16. G. Srinivasiah. |
| | 5. K. S. Srinivasiah Chetty. | | 17. T. S. Srinivasiah. |
| | 6. H. S. Srinivasiah Chetty. | | 18. M. Chinnai. |
| | 7. V. S. L. Narayan. | | 19. O. S. Srinivasiah. |
| | 8. Y. H. Venkataramanappa. | | 20. B. Abdur Rahman. |
| | 9. V. Venkataramanappa. | | 21. Azizuddin Khan. |
| | 10. M. Muniamappa. | | 22. J. S. Iyer. |
| | 11. H. Srinivasamurthy. | | 23. S. Yellappa. |
| | 12. C. K. Srinivasiah Esq. | | |

Absent.

- | | | | |
|----------|--------------------------|----------|----------------------------|
| Members. | 1. B. Kompanna. | Members. | 4. S. S. Venkataramanappa. |
| | 2. K. T. Srinivasiah. | | 5. I. Subbaram Chetty. |
| | 3. L. Gopalakrishna Esq. | | 6. S. H. S. Srinivasiah. |

Subject No. 1

Opinion of the Managing Committee meeting dated 5th March 1935 that the finances of the Municipality will not improve by borrowing and that it has to provide for the liquidation of the debt and that the loan of Rs 2,50,000 cannot be used for other purposes and under the circumstance the expenditure of laying a duplicate main from the combined jewel filters to the low level reservoir cannot be borne by the Municipality.

Resolution:- Approved.

Sd/ B. K. Garudachar,
Hon. President.

Copy

B. K. Garudachar
Municipal Commissioner.

SS

SUBJECT _____

Diary No of letter replied to _____	Section. <i>ML</i> File No <i>169-33</i> Serial No <i>9</i> No <i>L 7291</i>
General and Revenue Secretariat () the 193	To <u>The Municipal Commissioner,</u> <u>Bangalore city</u> <u>— (through the President)</u> Sir,
Date of issue <i>17-4-35</i> Signed by <i>Rev. A. G. O. L.</i>	With reference to the correspondence ending with your letter No A1-35/34-35 dated 26-3-1935 forwarding the
List of enclosures _____	resolution of the Municipal Council that the cost of the pipes requires for laying a duplicate main from the combined Javel Filters to the Low Level Reservoir cannot be ^{met} ~~borne~~ from
Copied by <i>qk</i>	of the loan of Rs 2,50,000, as the A- has been sanctioned for a specific purpose
Examined by _____	viz., improvement of water supply

cannot be diverted for other purposes
and requesting that the claim be waived
as a special case taking into consideration
the fact that Govt have already made full
use of the pipes at Bethmangal and 'Y' tanks,
I am directed to state that the loan
of Rs 2,50,000 has been sanctioned by
Govt for improving the water supply
distribution and that as laying of the
duplicate main to the Low Level Reservoir

is one of the measures calculated to
improve the distribution of water in the city.

~~construction of the Municipal Council.~~

~~not a proper fund.~~ As regards the
Observation that the pipes are old and have
been used already, it has to be stated
that this point was taken into consideration
while preparing the estimate.

Govt estimate that
the cost of the pipes
is Rs 25,000.

that they cannot reconsider the order already
passed and ~~that~~ that the amount ~~is~~
be adjusted without further delay.

It is a report of action taken ^{very early} ^{in the past}
to get very early - ^{fully} ^{for the} ^{supply} ^{of water}

It cannot be said
that the cost of pipes
used for the purpose
is not a proper charge
on the loan funds,
particularly when
the total is only
Rs 67,000 for the
purchase of water
meters.

G R S App F G. 3

GENERAL AND REVENUE
SECRETARIAT

(Continuation sheet draft form)

L7292-3 S/17-4-35

Copy to (1) the Chief Engineer
(2) the Comptroller

By order

Am
11/1/4
for Chief Secy
Rmr

Fachus Seas, Vint

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated, Bangalore, 11th April 1935

No 27291
Lul 69-33-9

17

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore

To

The Municipal Commissioner,
Bangalore City
(Through the President)

Sir,

With reference to the correspondence ending with your letter No.A.1.35/34-35 dated 26th March 1935 forwarding the resolution of the Municipal Council that the cost of the pipes required for laying a duplicate main from the combined Jewel Filters to the Low Level Reservoir cannot be met from out of the loan of Rs.2,50,000/- as the loan has been sanctioned for a specific purpose viz., improvement of water supply and cannot be diverted for other purposes and requesting that the claim be waived as a special case taking into consideration the fact that Government have already made full use of the pipes at Bothmangal and "Y" tanks, I am directed to state that the loan of Rs.2,50,000 has been sanctioned by Government for improving the water supply distribution and that as the laying of the duplicate main to the Low Level Reservoir is one of the measures calculated to improve the distribution of water in the city it cannot be said that the cost of pipes used for the purpose is not a proper charge on the loan funds, particularly when the Municipal Council is utilising a portion of this Viz., Rs.67,000 for the purchase of water meters.

As regards the observation that the pipes are old and have been used already, it has to be stated that this point was taken into consideration while fixing the cost of the pipes at Rs.25,000/-

I am to state that in the circumstances, Govt regret that they cannot reconsider the order already passed and that the amount due should be adjusted without further delay.

A report of action taken may be kindly submitted to Government very early.

I have the honour to be,
Sir,
Your most obedient servant,

(Sd) R.Ranga Rao,
Chief Secretary to Government.

M E M O. No. *L 7292-3*

Dated, Bangalore, 11th April 1935.
17

Copy of the above is forwarded, with compliments, to the

By order,

Aswatharaj
for Chief Secretary to Government.
Rmr

V.L.S.

us: 7

Appendix F G-1]

SUBJECT.

Section M2

File No 169-33

Serial No. 11

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue

27-7-35

Signed by

Ken AEL

List of enclosures

Copied by

Examined by .

No 2733 Cuel

To

The Municipal Commissioner
Bangalore City
(through the President)

Sir,

In continuation of this office
letter No. 27291/M2 169-33-9 dated
17-4-1935 calling for a report of
action taken in regard to the
adjustment of the cost of pipes
supplied ~~to~~ in connection with
laying a duplicate main from
the Combined Javel Filters to the
Low Level Reservoir, I am directed
to forward herewith copy of letter
No 485 dated 16-7-35 from the
Chief Engineer bringing to notice

that neither the cost of pipes has
been adjusted nor the estimate amounting
to Rs 1,387² for audit and direction charges
returned countersigned ~~and to state~~
~~that cost report to the Government~~
~~as the report registers the expenditure and~~
to request that immediate action
may be ~~consideration~~ taken in the
matter and the fact related to Govt

A reply by return ^{post} is requested

I have etc

for
copy Chief Secy to Govt
Rmr MV

L 734 S/27-7-35

Copy to the Chief Engineer with
reference to his letter No 485 dated
16-7-35

By order

(A 25)
for
copy Chief Secy to Govt
Rmr MV

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated, Bangalore, 26th July 1935

No. L733 Encl
encl 169-33-11

27

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore

To

The Municipal Commissioner,
Bangalore City.
(through the President).

Sir,

In continuation of this office letter No.L.7291/11. 169-33-9 dated 17th April 1935 calling for a report of action taken in regard to the adjustment of the cost of pipes supplied in connection with laying a duplicate main from the combined Jewel Filters to the Low Level Reservoir, I am directed to forward herewith copy of letter No.485 dated 16th July 1935 from the Chief Engineer bringing to notice that neither the cost of pipes has been adjusted nor the estimate amounting to Rs.1,387 for audit and direction charges returned countersigned and to request that immediate action may be taken in the matter and the fact reported to Government.

I have the honour to be,

Sir,

Your most obedient servant,

Sd/- K.V. Anantaraman,

Chief Secretary to Government.

Memo No. L734

Dated, Bangalore, 26th July 1935.

Copy of the above is forwarded with compliments to the Chief Engineer in Mysore with reference to his letter No.485 dated 16th July 1935.

By Order,

Asubapala

For Chief Secretary to Government.

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue

Signed by

List of enclosures

Copied by

Examined by

Section ME
File No 169-33
Serial No. 12

No

To

The Municipal Commissioner,
Bangalore city
----- (through the President) -----

Sir,

With reference to your the
correspondence ending with your letter
No A1-35/34-35 dated 12-10-1935
regarding the adjustment of the
cost of pipes in connection with
the laying of a duplicate main from
the Combined Jewell Filters to the
Low Level Reservoir, I am directed
to request you to be so good as to
arrange for the ^{adjustment}
~~effect a~~ prompt settlement of
the amount ^{for which provision has been}
~~without any further~~
made in the current year budget ^{that may}
~~delay~~:-

I have etc

for chief Reay
Rmr M

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Bangalore, Dated, 8th November 1935

No L-3468/ml169-33-12

12

From

The Chief Secretary to the Government of His Highness the Maharaja of Mysore

To

The Municipal Commissioner, Bangalore City,
(Through the Resident)

Sir,

With reference to the correspondence ending with your letter No. A1. 35 of 1934-35 dated the 12th October 1935 regarding the adjustment of the cost of pipes in connection with the laying of a duplicate main from the Combined Jewell Filters to the Low Level Reservoir, I am directed to request you to be so good as to arrange for the prompt adjustment of the amount, for which provision has been made in the current year's Budget of the Municipality.

I have the honor to be,
Sir,
Your most obedient servant,

Am
For Chief Secretary to Government.

C.R G 2

ml 169-33-13.

2/55
L

No 4078
Encls

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 4-11-1935

FROM ,

DIWAN BAHADUR

N N AYYANGAR, B A, L C E, M I E (Ind), I S E,

Chief Engineer of Mysore,
Bangalore

To

The Chief Secretary to Government,
Bangalore.

Laying a duplicate 15" main from the Combined Jewell Filters
to the Low Level Reservoir at Bangalore.

Sir,

I have the honour to invite a reference to your Memo No.L.734 dated
ml.169-33-11 dated 27th July 1935 on the above subject and to inform you that
the Executive Engineer, Water Supply Division, Bangalore, again brings to notice
that the Bangalore City Municipality have not so far adjusted the outlay of
Rs.54,040 incurred in connection with the above work nor have they countersigned
the estimate amounting to Rs.1,387 towards audit and direction charges.

2. Since the amount is outstanding unadjusted in the accounts of the
Executive Engineer for a very long time, the Municipal Commissioner may kindly
be addressed to dispose of the matter very early.

I have the honour to be
Sir,
Your most obedient servant,

M A 9/11/35
Chief Engineer of Mysore.

TSRN.

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue 26. 11. 35

Signed by Mr A. S. R.

List of enclosures

Copied by

Examined by

Section Me

File No 169-33

Serial No 14

No L. 3876/E.

To

The Municipal Commissioner,
Bangalore city
(through the President)

Sir,--

In continuation of this office letter No L 3468/Me 169-33-12 dated 12-11-1935 regarding the adjustment of the cost of pipes in connection with the laying of a duplicate main from the combined Jewell Filters to the Low Level Reservoirs, I am directed to forward herewith copy of letter No 4078 dated 4-11-1935 from the Chief Engineer bringing to notice that the amount has not yet been adjusted and that the estimate for Rs 1,387 towards audit and direction

charges has not been ~~it~~

duly countersigned and to request ~~you~~

to kindly expedite the matter ~~without~~

~~any further correspondence~~

I have etc.

for
20/11
for Chief Secy to Govt
Rmr ✓

L 3877

Copy to the Chief Engineer -- with ref to

his letter No 4078 dated 11-11-35

By order

for
20/11
for Chief Secy to Govt
Rmr - M ✓

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Bangalore, Dated, 22nd Novr. 1935.

No

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore.

To

The Municipal Commissioner,

Bangalore City,
(through the President, City Municipal Council)
Bangalore.

Sir,

In continuation of this office letter No.L.3468/11.169-33-12 dated 12.11.1935, regarding the adjustment of the cost of pipes in connection with the laying of a duplicate main from the combined Jeweld Filters to the Low Level Reservoir, I am directed to forward herewith copy of letter No.4078 dated 11.11.1935, from the Chief Engineer, bringing to notice that the amount has not yet been adjusted and that the estimate for Rs.1,387/- towards audit and direction charges has not been returned to him duly countersigned and to request you to kindly expedite the matter.

I have the honour to be,

Sir,

Your most obedient servant,

Sd/- A.V. Pamanathan,
Chief Secretary to Government.

M.R.3.

Memo No.

Dated, 22nd Novr. 1935.

Copy of the above, is forwarded, with compliments to the Chief Engineer of Mysore, with reference to his letter No.4078 dated 11.11.1935.

By Order,

For Draft

For Chief Secretary to Government.

M.R.2.

Rmr

Mr. Ravi

me 169-33-15

City Municipal Office,

Bangalore, dated 17th Feb, 1936

No A1-35/34-35.

3841/L.

From

M SESHADRI, ESQ, M A,
Municipal Commissioner,
Bangalore City

L.L.L.

CHIEF SECRETARY
10 FEB 1936

To

A.V. RMANATHAN, ESQ., B.A.,

Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

Sir,

Subject:- Laying a duplicate 15" main from the combined
Jewel Filters to the Low Level Reservoir at Bangalore.

With reference to your letter No. L.3876/E1 dated 26th -
November 1935 for payment of the cost of the above work, I have
the honour to state that the Municipal Council have at their
meeting held on 9-11-35 resolved that as the pipes used for the
main are old ones, a sum of Rs. 10,000/- might be paid towards
their cost.

Accordingly a cheque for Rs. 10,000/- has this been
forwarded to the Executive Engineer, water Supply Division,
Bangalore.

I request the favour of your moving the Government to
accept this amount in final settlement of the cost of the pipes
in question.

I have the honour to be,

Sir,

Your most obedient servant.

PSK

M. Seshadri
Municipal Commissioner.

Respectfully
Inwards with compliments

Honorary President
Bangalore Improvement

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue

6/3/36

Signed by

Mr A. S. Rao

List of enclosures

Copied by

Examined by

Section ME

File No 169-33

Serial No 16

No

To

L6798

The Municipal Commissioner,

Bangalore city

(through the President)

Sr,

With reference to the correspondence, ending with your letter No A-35/34-35 dated 17-2-36 stating that in connection with the payment by the Municipality for the cost of the pipes used for laying a duplicate main from the Combined Sewer Filters to the Low Level Reservoir, the Municipal Council have resolved that as the pipes used for the main are old ones, a sum of Rs 10,000 might be paid towards their cost and requesting that the above amount, ^{for which a cheque has been sent already} may be accepted in final settlement of the cost of the pipes, I am directed to invite reference to the

offia letter No L 7291/M 169-33-9 dated 17-4-1935
stating that the fact that the pipes were old
had already been taken into consideration while
fixing their cost at Rs 25,000 and to state that
Govt cannot accept a lesser amount towards
the cost of the pipes ~~in question~~ - The balance of Rs 15,000 due on this account
may therefore be arranged
to be paid without further

I am to add that your letter is silent as to
payment by the
the Municipality ^{of} meeting the cost of the labour
portion of the work amounting to Rs 29,040, ~~and~~ and also
estimate for which has already been considered
by you, nor does it mention anything about the
estimate for Rs 1,387 towards audit and appropriation
charges, vide letter No 1554 D 22 35 addressed by you to the Ex Secy, W S D M. Thereby
~~I am to request that the balance of the cost~~
~~of the pipes in question~~ amounts referred to
~~in the above~~ may ^{also} be adjusted
without any further delay and the fact of
adjustment ^{of all the above items} reported for the information of Govt

I have etc

26777-6800
copy to (1) Chief Engineer
(2) Comptroller
29/2 Chief Secy Govt
6/3/36

By order
for
Chief Secy Govt
29/2
P.M.

Extra

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated, Bangalore, 5th March 1936.

No

L6798
ml 169-33-16

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore

To

The Municipal Commissioner,
Bangalore City.

Through

The President, Bangalore City
Municipal Council.

Sir,

With reference to the correspondence ending with your letter No. A1-35/34-35 dated 17th February 1936 stating that in connection with the payment by the Municipality for the cost of the pipes used for laying a duplicate main from the combined Jewel Filters to the Low Level Reservoir, the Municipal Council have resolved that as the pipes used for the main are old ones, a sum of Rs.10,000 might be paid towards their cost and requesting that the above amount for which a cheque has been sent already may be accepted in final settlement of the cost of the pipes, I am directed to invite reference to this Office letter No.L. 7291/ML.169-33-2 dated 17th April 1935 stating that the fact that the pipes were old had already been taken into consideration while fixing their cost at Rs.25,000 and to state that Government cannot accept a lesser amount towards the cost of the pipes. The balance of Rs.15,000 due on this account may therefore be arranged to be paid without delay.

I am to add that your letter is silent as to the payment by the Municipality of the cost of the labour portion of the work amounting to Rs.29,040 and also about the estimate for Rs. 1387 towards audit and appropriation charges - Vide letter No. 1554 dated 27th February 1935 addressed to you by the Executive Engineer, - Water Supply Division. These amounts may also be adjusted without

P.T.O.

delay and the fact of adjustment of all the above items reported for the information of Government.

I have the honour to be,

Sir,

Your most obedient servant,

Sd. A. V. Ramasathan,

Chief Secretary to Government.

MEMO NO 6799-6800
me

Dated 5th March 1936.

Copy of the above is forwarded with compliments to the

- (1) Chief Engineer in Mysore.
- (2) Comptroller to Government.

By Order,

FAIR DRAFT.

Asn

In Chief Secretary to Government.
Rmr

No 10215
Encls

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 18-5-1936

FROM

DIWAN BAHADUR

N N AYYANGAR, ESQ, BA, LCE, MIE (Ind), ISE,

Chief Engineer of Mysore,
Bangalore

5330
L

CHIEF SECRETARY
8 MAY 1936

The Chief Secretary to the Government of Mysore,

B A N G A L O R E

SIR,

Dues from the Bangalore City Municipality for the work of
duplicating the 15" main from the Combined Jewell Filters
to the Low Level Reservoir at Bangalore

With reference to your No L 6799-6800/M1 169-33-16 dated the
5th March 1936 forwarding, for information, a copy of the letter of
the same date addressed to the Municipal Commissioner, Bangalore City,
communicating the orders of Government that all the above dues should
be adjusted without delay, I have the honour to state that the - - -
Executive Engineer, Water Supply Division, reports that the Municipality
has paid Rs.10,000/- only so far towards the outlay incurred on the
above work. An amount of Rs.40,091/- representing the value of ----
materials to the extent of Rs.22,606/- and labour, audit and direction
charges amounting to Rs.17,585/- is reported to be left still
unadjusted by the Municipality

2. Necessary instructions may be kindly issued to the Municipal
Commissioner to arrange for the remittance of the balance amount
without delay

I have the honour to be,

Sir,

Your most obedient servant,

P. Lakshmanan
For Chief Engineer of Mysore

T R S

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue 27-5-1936

Signed by M. A. S.

List of enclosures

Copied by

Examined by

Section 172

File No 169-33

Serial No 17

No L 9047 Ecl

To

The Municipal Commissioner
Bangalore city
(through the President)

Sir,

In continuation of this office letter
No L 6798/MR 169-33-16 dated
6-3-36 regarding the payments
to be made
by the Municipality in connection
with the laying of a duplicate
main from the Combined Jewell
Fallen to the Low Level Reservoir,
I am directed to forward herewith
copy of letter No 10215 dated 18-5-36
from the Chief Engineer on the
subject and to state that I am
regret to note that the Municipality
request that
has been postponing the payment

of the amount for a very long time
in spite of repeated instructions in the
matter.

I am ~~further~~ to ^{add} state that if the
amount due is not adjusted paid
before the end of this month, I am
will be constrained to adjust
the amount out of the cash balance
by the Treasury to the credit of the
Municipality.

maybe arranged
separately and
if only reported to ~~Govt~~
new

I have etc -

for
Am 20/5 Chief Secy to Govt
Pmm

L-9.948-49 dt 27.5.38.

Copy to (1) the Chief Engineer with reference
to his letter No 10215 dated 18-5-36.
(2) the Comptroller

By order
for
Am 20/5 Chief Secy to Govt
Pmm

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

²⁷
Dated, Bangalore, ~~25th~~ May - 1936

No L 9047 E 11
M 169-33-17

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore

To

The Municipal Commissioner,
Bangalore City
through the President, Bangalore City Municipal Council

Sir,

In continuation of this office letter No.L.6798/M.169-33-16 dated 6th March 1936 regarding the payments to be made by the Municipality in connection with the laying of a duplicate main from the combined Jewel Filters to the Low Level Reservoir, I am directed to forward herewith copy of letter No.10215 dated 18th May 1936 from the Chief Engineer on the subject and to request that the payment may be arranged for immediately and the cause of delay reported to Government.

I have the honour to be,
Sir,
Your most obedient servant,

Ed. A.V.Ramanathan.

Chief Secretary to Government.

Memo No. L 9048-49 Dated, Bangalore, the ²⁷~~25th~~ May 1936.

Copy of the above is forwarded with compliments to the Chief Engineer in Mysore with reference to his letter No.10215 dated 18-5-36.

(2) The Comptroller to Govt.

By order,


For Chief Secretary to Government.

rk.

Letter No.10215 dated 18th May 1936 from the Chief Engineer of Mysore, Bangalore to the Chief Secretary to the Government of Mysore Bangalore.

Dues from the Bangalore City Municipality for the work of duplicating the 15" main from the Combined Jewell Filters to the Low Level Reservoir at Bangalore.

With reference to your No.L.6799-6800/M.169-33-16 dated the 5th March 1936 forwarding, for information, a copy of the letter of the same date addressed to the Municipal Commissioner, Bangalore City, communicating the orders of Government that all the above dues should be adjusted without delay, I have the honour to state that the Executive Engineer, Water Supply Division, reports that the Municipality has paid Rs.10,000/- only so far towards the outlay incurred on the above work. An amount of Rs.40,091/- ^{40,091/-} ~~40,000/-~~ representing the value of materials to the extent of Rs.22,606/- and labour, audit and direction charges amounting to Rs.17,585/- is reported to be left still unadjusted by the Municipality.

2 Necessary instructions may be kindly issued to the Municipal Commissioner to arrange for the remittance of the balance amount without delay.

" C O P Y "

A Venkatar Rao
For Chief Secretary to Government.

Rmr

Cag

No 11583
Encls

40
GEN & REV. SECT.
1 JULY 1936
R.R. & BRANCH.

Yongunt
MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,

Dated Bangalore, 30-6-1936

FROM

DIWAN BAHADUR

N N AYYANGAR, BA, LCE, MIE (Ind), ISE,

Chief Engineer of Mysore,
Bangalore

CHIEF ENGINEER
30 JUNE 1936
11/7/36

To
The Chief Secretary to Government of Mysore,
Bangalore.

Subject:- Dues from the Bangalore City Municipality for the work
of duplicating the 15" main from the Combined Jewel
Filters to the Low Level Reservoir.

SIR,

I have the honour to invite a reference to correspondence
ending with your Memo No. L 9048-49/MI 169-33-17 dated 27th May
1936 on the above subject and to state that the Executive
Engineer, Water Supply Division, has brought to notice that the
Municipal Commissioner has not arranged to pay the sum of
Rs 40,191/- due from the Municipality.

As this amount is reported to be outstanding unadjusted ~~and~~
in the Divisional accounts for a very long time in spite of several
reminders issued to the Municipal Commissioner in the matter, it
is for consideration of Government whether the dues may not be
deducted from the loan sanctioned by Government to the Municipality.

I have the honour to be,
Sir,
Your most obedient servant,

P. Lakshmanan
for Chief Engineer of Mysore.
- 2 - 6

TRNSN/29.6

Serial No

D^o No 213361

The Municipal Commission,
Bangalore city
(through the President)

()
the 193 .

Dear Sir,

Date of issue 4-7-36

Signed by Mr. B. M.

In continuation of this office letter
No 9047/MC169-33-17 dated 27-5-36
regarding the payment of ~~the~~ a
balance of Rs 40,191 ^{due} by the Municipality
in connection with ^{the} laying of a duplicate
main from the Combined Jewell
Filters to the Low Level Reservoirs,
I am ^{desirous} ~~deserted~~ to forward herewith

A copy of letter No 11583 dated 30-6-36
recd from the Chief Engineer on the
subject and to request you to be
so good as to ~~give~~ ^{furnish} a reply before
the 15th instant as to how the matter

4/7/88

Examined by

stands at present

M Seshadri Dy, M, A
The Comm, Bangalore city.

your friend
4/7/36

D O No *L13381*
c

GENERAL AND REVENUE SECRETARIAT,

Dated, Bangalore, 4th July 1936.

Dear Sir,

In continuation of this office letter No.9047/Ml. 169-33-17 dated 27th May 1936 regarding the payment of a balance of Re.40,191 due by the Municipality in connection with the laying of a duplicate main from the Combined Jewell Filters to the Low Level Reservoir, I am desired to forward herewith a copy of letter No.11583 dated 30th June 1936 received from the Chief Engineer on the subject and to request you to be so good as to furnish a reply before the 15th instant as to how the matter stands at present.

Yours sincerely,

[Signature]
For Ch. Ling

M. Seshadri, Esq., M.A.,
Municipal Commissioner,
Bangalore City.

Rmr
/

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue 23. 7 36

Signed by Mr. B. M.

List of enclosures

Copied by

Examined by

Section

File No

Serial No

2 Mr

No 727

To

The Municipal Commissioner,
Bangalore city
Sir, (~~through the President~~)

I am directed to invite reference to the correspondence ending with this office letter No. 2133 dated 4-7-1936 regarding the payment of a balance of Rs 40,191 due by the Municipality in connection with the laying of a duplicate main from the Combined Jewell Falls to the Low Level Reservoir and to enquire what arrangements have been made for the adjustment of the amount.

In this connection, I am to invite your reference to resolution

meeting of the
No 34 of the Proceedings of the Municipal
Council held on 13-6-1936 sent under

K x

the President's letter No C6-3/36-37
dated 7/11-7-36 ^{in re to requesting for to accept} ~~regarding the payment~~
^{and} of a sum of Rs 35,000 in full settlement
of the account and to state that
no separate reference on this subject

has been received from you. ~~It is now~~ I am to request you to
kindly state how this figure Rs 35,000/- arrived at ^{to} ~~and that the Council~~
~~A reply as to the action taken~~ ^{asked for to be taken}
This may kindly be treated as
~~by you as the matter may be next~~
immediate and a reply furnished by return of post
~~for the information of Dept.~~

I have etc

^{ms}
22/7/36 Chuf Seey Weng
Pmr

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated, Bangalore, ²³~~22~~ July 1936

No L 727

From

The Chief Secretary to the Government of His Highness
the Maharaja of Mysore

To

The Municipal Commissioner,
Bangalore City,
Through the President.

Sir,

I am directed to invite reference to the correspondence ending with this office letter No.L.133 dated 4th July 1936 regarding the payment of a balance of Rs.40,191 due by the Municipality in connection with the laying of a duplicate main from the combined Jewell filters to the Low Level Reservoir and to enquire what arrangements have been made for the adjustment of the amount.

In this connection, I am to invite your reference to resolution No.34 of the Proceedings of the meeting of the Municipal Council held on 13th June 1936 sent with the President's letter No.C6-3/36-37 dated 7/11th July 1936 in regard to requesting Government to accept a sum of only Rs.35,000 in full settlement of the account and to state that no separate reference on this subject has been received from you. I am to request you to kindly state how this figure Rs.35,000/- is arrived at. This may kindly be treated as immediate and a reply furnished by return of post.

I have the honour to be,

Sir,

Your most obedient servant,

(For Draft)


Chief Secretary to Government.

Rmr

Appendix F G—1]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue 23-7-36

Signed by Mr. B M.

List of enclosures

Copied by

Examined by

Section

File No

Serial No

2 DM)

No

To

Lot 728

The Comptroller to Govt
Sir,
I am directed to request
you to be so good as to
forward a statement showing
the ~~ones~~ payable by the
Bangalore City Municipality to
the various Govt. Departments -
up to the end of June 1936.
This may kindly be treated as urgent.

I have etc

ms
22/7
22/7/36 Chief Secy Govt
Rmr

D. O. No. A 135/34-35

377
Office of the Municipal Commissioner,

Dated, Bangalore 22nd July 1936.

GEN. & REV. SECT.
24 JULY 1936
S. & S. BRANCH.

4.59
11/12
23/7
23/7/36
Dear Mr. Kesavalengar,

Regarding the arrears payable by the Municipality of the cost of laying the duplicate main from the combined Jewell Filters to the Low Level Reservoir, I write to say that I am issuing a Cheque for Rs.25,000/- to day in favour of the Executive Engineer, Water Supply Division. This in addition to Rs.10,000/- already paid makes up Rs.35,000/- as per Council resolution. A detailed Official letter follows.

Yours Sincerely,

M. Kesavalengar

B.T. Kesavalengar, Esq., B.A.,
Chief Secretary to Government,
B a n g a l o r e.

M.M)

500
City Municipal Office,

Bangalore, dated 27th July 1936

No A1-35/34.

Enc 2

From

M SESHADRI, ESQ, M A,
Municipal Commissioner,
Bangalore City

GEN. & REV. SECT.
1 AUG. 1936
L. S. J. BRADSHAW

To

B.T.KesavaIengar, Esq., B.A.,
Chief Secretary to the Government of
His Highness the Maharaja of Mysore,
Bangalore

Sir,

Duplicate main from the Combined Jewel Filters to
the Low level Reservoir.

Q With reference to correspondence ending with your letter
No. L. 9047/ML.169-33-17 dated 27th May 1936 in the matter, I
have the honour to state that the question was pending consi-
deration of the Managing Committee for a long time. The -
Committee finally resolved that Government be requested to accept
only Rs. 35,000/- in full settlement of the claim under the -
following circumstances.

Y 2. Government in their order No. L.5986-94/ML262-32-2 dated
15-3-1933 constituted a committee consisting of the marginally
noted gentlemen to settle the details about the laying of new

- | | | |
|--|--|---|
| 1. Mr. M.G. Rangiah, B.A., B.E.,
Chief Engineer(Chairman) | | water supply mains for the
improvement of water -
supply in the City. On
receipt of the report, -
Government sanctioned the
scheme of laying a dupli-
cate main from the Malle-
swann Storage tanks to the
Low Level Reservoir with |
| 2. " Rajasevasakta J. Bhore.
Retired Chief Engineer. | | |
| 3. Mr.K. Srinivasa Iyengar,
Retired Engineer in Chief
Mysore Railways. | | |
| 4. Mr. J.J. Mieldazis, Sanitary Engineer
Rockfeller Foundation. | | |
| 5. Mr. B.K. Garudachar, President,
Bangalore City Municipal Council. | | |

the observation that the scheme was not likely to cost more than

- 2 -

Rs. 35,000/-, in their order No. L.547-54/MI 262-32-6 dated 18-7-33. The Managing Committee opined that the Government be requested to accept only Rs. 35,000/- according to this order in full settlement of the claim.

3. The Municipal Council has approved of the opinion of the Managing Committee. Copies of the resolutions of the Managing Committee and the Municipal Council are - herein enclosed for reference. In pursuance of that - resolution a cheque for Rs. 25,000/- has been issued in favour of the Executive Engineer Water Supply Division in addition to Rs. 10,000/- already paid. I request that Government may be moved to accept this sum in full settlement of the claims. I may add that the Municipality would have gladly paid the claim in full if their - financial position was satisfactory.

I have the honour to be,


Sir,

Your most obedient servant.


MUNICIPAL COMMISSIONER.
ms
29/7

PSK

Forwarded with compliments.


HONORARY PRESIDENT.

PROCEEDINGS OF THE MANAGING COMMITTEE MEETING DATED
29th May 1936.

Deferred Subjects.

1. Office Note dated 28th March 1936 that the claim of Rs. 45,427/- being the balance of amount for laying the duplicate main from the combined Jewell Filters to the Low Level Reservoir, will have to be paid to Government in full settlement and that due provision has to be made in the revised budget for this - payment over and above Rs. 25,000/- already made in the budget.

Resolution:- Committee requests the Government to accept only Rs. 35,000/- as originally prepared estimate, accept in full settlement of the account. If the finances of the Municipality was good, they would not have grudged to pay.

Sd. B.K. Garudachar.
Chairman.

C o p y.

PSK.

M. Sehadar
MUNICIPAL COMMISSIONER.

ms
28/5

Proceedings of the Ordinary General meeting of the
City Municipal Council, Bangalore, held on Saturday the
15th June 1936 at 12 Noon in the Council Chamber of the City
Municipal Office, Bangalore.

Reo Charles E. Jersbacher.

Comments:-

- | | |
|--------------------------------|-------------------------------|
| 1. Mr. A. Venkat Sanyal. | 11. Mr. C. Jayavadana Rao. |
| 2. " A. H. Lakshminathaya. | 12. " M. T. Jomasekhara Rao. |
| 3. " B. Lakshma. | 13. " T. S. Ramachandra. |
| 4. " Ram Lal Thivari. | 14. " K. Chinnappa. |
| 5. " K. L. Ramakrishna Chetty. | 15. " P. Subbaram Chetty. |
| 6. " V. B. L. Narayan. | 16. " C. S. Narasimha Chetty. |
| 7. " L. Venkatarangappa. | 17. " C. H. K. Reddy. |
| 8. " K. Mahalingappa. | 18. " Anirudhin Reddy. |
| 9. " L. Prinswala Murthy. | 19. " S. H. Isaac. |
| 10. " D. L. Rangan. | 20. " C. Yella Rao. |

1. Mr. J.V. Shivaram Reddy.	6. Mr. C.L. Ganesan.
2. " K. Lakshminarayana Reddy.	7. " C. Sathyanarayana.
3. " D. Chandrasekhar Reddy.	8. " S. Venkataranga Reddy.
4. " T.N. Venkatarangaswamy.	9. " S. Subramanian.
5. " G.M. Narasimham.	

Subject No. 34.

Opinion of the Managing Committee meeting dated 29th May 1936 that the Committee requests the Government to accept only Rs. 35,000/- for laying the duplicate main from the - combined Jewell Filters to the Low Level Reservoir, in full settlement of the account.

Resolution - Approved.

Sd. B.K. Garudachar.

Honorary President.

п С о р у. п

PSK.

Municipal Commissioner.

$$\frac{9718}{2817}$$

In reply please quote reference
to No 99/WAD 1

OFFICE OF THE COMPTROLLER TO THE GOVERNMENT
OF HIS HIGHNESS THE MAHARAJA OF MYSORE,

Bangalore, dated 1st August

1936

FROM

A N RAGHAVACHAR, Esq, M A,

Comptroller to the Government of

His Highness the Maharaja of Mysore,

Bangalore

GEN. & REV. SECT.
7 AUG 1936
L. & O. Division

CH. Secy
6 AUG 1936

To
6/8/36

B. T. Kesavaiah Esq., B.A.,
Chief Secretary to the Government of Mysore,
B a n g a l o r e

SIR,

Adverting to your letter No.L.728.dated 23rd July 1936,

I have the honor

(a) Loan repayable ...

Rs 6,70,000- 0- 0

to furnish in the

(b) Other Items:-

1. Pensionary charges and contributions upto end of June 1936
2. Amount due towards E.D. Hospital and Leper Asylum for 1935-36
3. Amount due to Bureau of Sanitary Engineering for "Laying underground sub mains"
4. Amount due on Municipal Works executed by Executive Engineer, Water Supply Division
5. do arrears of water charges ...
(Vide U.O. reply No. 112
SI-8-36

(1) 4,000- 0- 0 ✓

margin the dues

payable by the

Bangalore City

(2) 13,500- 0- 0 ✓

Municipality to

the various Depart-

ments of Government

upto end of

June 1936.

(4) 89,288- 0- 0

1,99,697- 5- 0 x

3,15,148- 1- 4

Total WAD 1

Total (a and b)

9,85,148- 1- 4
=====

I have the honor to be,

Sir,

Your most obedient servant

Comptroller -

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

P. V. S. I

Date of issue

20/8/36

Signed by

M. B. H.

List of enclosures

Copied by

Examined by

Section

File No

Serial No

No

1410

To

*The Municipal Commr, Bangalore
(through the President)*

Sir,

With reference to the correspondence ending with your letter No A-35/34 dated 27-7-36 forwarding the resolution of the Municipal Council that Govt be requested to accept a sum of Rs 35,000 in full settlement of the claim due to Govt in connection with the laying of a duplicate main ^{from} ~~front~~ the Combined Jewell Filters to the Low Level Reservoir, I am directed to state that the request ^{made by} ~~of~~ the Municipal Council to waive the balance of the cost of this work has already been ^{rejected} ~~negated~~ and that Govt ^{do not} ~~do not~~

see any need to refer to

arrangements ~~may~~ ^{shall} be made

early for the payment of the balance, and so
as the matter is pending for a long time.

I have etc

^{18/18}
Chief Clerk Synt

memorandum 2/4/11-12

Copy to Chief Engineer

20/5/22

1) Comptroller -

B. O

^{18/18}
Chief Clerk
for

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Dated, Bangalore, 19th August 1936

No

L 1410

From

The ^{Chief Secretary to the Government of His Highness}
the Maharaja of Mysore

To

The Municipal Commissioner, Bangalore City
Through the President.

Sir,

With reference to the correspondence ending with your letter No. Al. 35/34 dated the 27th July 1936 forwarding the resolution of the Municipal Council that Government be requested to accepted a sum of Rs. 35,000/- in full settlement of the claim due to Government in connection with the laying of a duplicate main from the combined Jewell Filters to the Low Level Reservoir, I am directed to state that the request made by the Municipal Council to waive the balance of the cost of this work has already been negatived and that Government regret that they do not see any need to reopen the question. I am ~~to~~ to add that arrangements should be made for the payment of the balance early and the fact reported to Government as the matter is pending for a long time.

I have the honor to be,
Sir,
Your most obedient servant,

Sd/- B.T. Kesaviengar,

Chief Secretary to Government.

Memo No.

L 1411-12 20/8/36
Copy of the above is forwarded with compliments to the

- (1) Chief Engineer
(2) Comptroller

By order,

for Chief Secretary to Government.

Rmr

C.H.G.4

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()

the 193

Date of issue 8 1 37

Signed by Mr B M.

List of enclosures

Copied by

Examined by

Section

File No

Serial No

No L 4783

To The Municipal Commissioner.

Bangalore city
(through the President)

Sir,

I am directed to invite reference to the correspondence ending with your letter No. A1-35/34-35 dated 17-11-36 stating that arrangements will be made to clear up the ^{by the end of December 1936} dues yet to be paid by the Bangalore City Municipality to Govt in connection with buying a duplicate main from the Combined Jewell Filters to the Low Level Reservoir, ~~by the end of December 1936~~ and to request you to be so good as to state whether the ^{said dues} ~~dues~~ have since been ~~adjusted~~ as promised.

I have
25/1/37
Rmr for Chief Secy.

A, 35/34-35
Encl 1

City Municipal office,
Bangalore, dated 25th March 1937.

4438

From


29 MAR 1937

M. S. SESHADRI

M. Seshadri, Esq., M.A.,
Municipal Commissioner, Bangalore City.

To

B. T. Kesavalengar, Esq., B.A.,
Chief Secretary to the Government of Mysore,
Bangalore.



Subject:-Laying of a duplicate main from the combined
Jewell Filters to the Low Level Reservoir.

Sir,

With reference to your letter No. L. 4783 dated the 8th January 1937 on the subject, I have the honor to state that the matter was considered by the Municipal Council in their meeting held on 10th October 1936 and they have resolved to wait on deputation on Government and to represent the financial condition of the Municipality.

A copy of the Proceedings is herewith enclosed for information.

I have the honor to be,
Sir,
Your most obedient servant,

ss

M. Seshadri
Municipal Commissioner.

Forwarded with compliments.

Hon. President.

proceedings of the ordinary general meeting of the City Municipal Council, Bangalore, held on Saturday the 10th October 1936 at 12 noon in the Council Chamber of the City Municipal office, Bangalore.

Present:- Rao Baladur B. . Garudachar, Esq.,
Hon. President.

Councillors:-

Messrs. 1. E. Venkatasani
2. A. I. Manurantappa
3. S. V. Srinivasa Setty
4. T. Dhaslyamiengar
5. Isakel Shivari
6. S. S. Ramakrishna Setty
7. B. S. Sankarappa Setti
8. V. B. S. Narayan.
9. D. Venkataramappa
10. H. Srinivasa Murthi
11. C. H. Narasinga Rao
12. B. L. Byanna.
13. C. Jayavardana Rao
14. C. . . Garudachar
15. E. . . Komashkara Rao
16. H. S. Ramaswami
17. S. . . Venkata Rangaiengar
18. T. S. Jaghavechar
19. S. S. Nazarulla Sheriff
20. S. Iszvi
21. B. Abdur Rahman
22. Azizuddin Fekri
23. J. B. Isaac.

Absent:-

Messrs. 1. B. Kempanna
2. Y. H. Venkata
ramappa
3. P. P. P. P. P. P.
4. . . Chinsani
5. P. Subbarama
Chetty
6. S. Yellappa.

No. 14. Letter No. L. 1410 dated 20th August 1936 from the Chief Secretary to Government that the question of waiving the balance of amount due towards laying a duplicate main from the Combined Jewell Filters to the Low Level Reservoir cannot be re-opened.

Resolution:-The letter from Government be recorded and the Council do wait on deputation on Government and represent the financial condition.

Sd/ B. K. Garudachar,
Hon. President.

Copy


Municipal Commissioner.
rbp
isp

Appendix F G—1]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

()
the 193

Date of issue

5-4-37

Signed by *Mr. B. C. Kulkarni*

List of enclosures

Copied by *[Signature]*

Examined by

Section

File No

Serial No

No *L 7166*

To

*The Municipal Commissioner
Bangalore city
(through the President)*

Sir,

With reference to the correspondence
ending with ^{your} letter No. A1-35/34-35
dated 25-3-37 stating that, in

connection with the adjustment
of the amount due by the Municipality
for laying a duplicate main

from the Combined Jewell Files
to the Low Level Reservoir, the
Municipal Council resolved on
10-10-36 to wait the deputation
on foot and to represent the
financial condition of the Mty,

I am directed to ^{observe} ~~state~~ that
there has been an
unwarrantable delay in the

transmission of the resolutions
 of the Municipal Council and to ~~the~~ ^{so far as}
~~state that as the Municipal Council~~
~~Govt has not been approached with any request to do the work of~~
~~have failed to act according to~~
~~receiving a deputation of the Municipal Council~~
~~that, even resolution to assist and~~
~~and causing that the matter has already been~~
~~deputation of Govt for the matter the~~
~~fully considered, it is not clear what purpose can be served by a personal~~
~~orders of Govt for the adjustment of exchange of over at his.~~
~~the balance due ^{should} ~~ought to~~ have been~~
~~given effect to by you. In this~~
~~connection, I am ^{also} to invite reference~~
~~to this office letter No L 1410 dated~~
~~20-8-36 stating that Govt do not~~
~~see any need to reopen the question - and~~
~~In the above circumstances, I ~~am~~ to~~
~~request that arrangements may~~
~~kindly be made to pay the~~
~~balance still due to Govt immediately~~
~~and the fact of payment intimated~~
~~to Govt; ~~and~~~~

I have etc

^{M/S}
^{3/4}
 2/4/37 Chuf Saay to Govt NEH
 Rmr -

L. 7167-8 of 5-4-37

Copy to the (1) Comptroller to Govt

(2) Chief Engineer of Mysore

By order

^S
 2/4/37 Chuf Saay to Govt
 Rmr

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

No L. 7166

Bangalore, Dated, 5th April 1937.

From

The *Chief Secretary to the Government of His Highness
the Maharaja of Mysore*

To

The Municipal Commissioner, Bangalore City,
THROUGH the President, City Municipal Council, Bangalore

Sir,

With reference to the correspondence ending with your letter No.A1. 35/34-35 dated 25th March 1937. stating that, in connection with the adjustment of the amount due by the Municipal Council for laying a duplicate main from the combined Jewell Filters to the low Level Reservoir, the Municipal Council resolved on 19th October 1936 to wait in deputation on Government and to represent the financial condition of the Municipality, I am directed to observe that there has been an inordinate delay in the transmission of the resolution of the Municipal Council. So far Government have not been approached in the matter of receiving a deputation of the Municipal Council and seeing that the matter has already been fully considered, it is not clear what purpose can be served by a personal exchange of views at this stage. I am to invite reference to this office letter No.L.1410 dated the 20th August 1936 stating that Government do not see any need to reopen the question and to request that arrangements may kindly be made to pay the balance still due to Government immediately and the fact of payment

2.

payment intimated to Government.

I have the honour to be,
Sir,
Your most obedient servant,


Sd/- B.T. Kesavalengar,
Chief Secretary to Government.

4. Memo No. L-7167-8 Dated, 5th April 1937.

Copy of the above, is forwarded, with compliments,
to the Comptroller to Govt- and the Chief Engineer
of Mysore

By Order,

For draft)


For Chief Secretary to Government

Rmr

K. I. P. 3.

ml. 169-33-19 -

BANGALORE CITY MUNICIPALITY.

MUNICIPAL OFFICES.

Bangalore, 18-6- 1937.

No A 1 ³⁵~~35~~/34-35-
26 6-37

From

M. SESHADRI, ESQ., M.A.

MUNICIPAL COMMISSIONER,

Bangalore City

JUL '37



B.T. Kesavalengar, Esq., B.A.,

Chief Secretary to the Government of

His Highness the Maharaja of Mysore,

Bangalore

SIR,

subject.- Arrears due for laying a duplicate
main from the combined Jewel Filters to the
Low Level Reservoir.

With reference to your letter No.L 7166 dated 5th
April 1937, desiring that immediate arrangements should be
made to pay up the balance due on this head, I have the
honour to state that I have this day remitted to the Exe-
cutive Engineer, Water Supply Division, the balance due as
referred to in your letter No.L 727 dated 23rd July 1936.
The dues so far as this item is concerned, have been fully
discharged.

I have the honour to be,

Sir,

Your most obedient servant

M. Seshadri
Municipal Commissioner

26/6/37

Forwarded with compliments,

For the President
Hon. President.

